

# GLORY

**TRUCK & BUSWASH CONCENTRATE**  
with the "MILLION MILE SHINE" system



- \* **Brushless**
- \* **Spot free rinse**
- \* **Excellent for reclaim**
- \* **Fastest rinse available**
- \* **Safe even if it dries on paint**
- \* **Will rinse right off if it dries**
- \* **Very high dilutions for cost effective cleaning**



Call Toll Free!  
**800-313-8505**

**EaCo Chem Inc.**  
P.O Box 52  
Forestville, PA 16035



## 1. Name:

GLORY: TRUCK & BRUSHWASH

## 2. Manufacturer

EaCo CHEM INC.

## Description:

**GLORY** Truckwash is a different concept in truckwashing. Utilizing the unique “Million Mile Shine” system, your paint will look as good at the end of the vehicles life as it does in the beginning. Not only will your paint look great but it will be protected from enviromental damage and will clean more easily. This is just the beginning of the benefits that regular use of Glory Truckwash will provide. The extras include brushless vehicle washing, spot free drying, super fast rinsing, and it is completely safe on paint. Another benefit of Glory Truckwash is that it will remove virtually any dirt, soil, or stain that is on painted surface. This soap will rinse freely even if it dries on the surface. The product works equally well or hot or cold but should not exceed 120° Fahrenheit. The only serious limitation is with polished aluminum which could be whitened or browned by the soap. In this situation Dazzle can be used safely, or Sabre as a first step will buffer the Glory. Glory is biodegradable, and will run successfully in virtually all reclaim systems on the market. Also it has been accepted for disposal in every state and every sanitary sewer system it has been submitted to for approval.

## Directions:

**GLORY** is designed for use with a pressure washer with high or low pressure application and using either hot or cold water. The trick to brushless cleaning is that the product must be laid on the surface using two quick applications which leads to complete soil release most of the time. High pressure rinsing is recommended. Water softeners are built into the product so water pretreatment is generally not necessary. There is one other caution to note, if Glory Truckwash is used on vehicles that have been washed with certain silicates a white film may result. If this occurs a solution of Sabre diluted 4-1 and brushed on is generally effective at remedying this situation.

## Dilutions

1:20 to 1:50 through a pressure washer up stream or down for light soil and brushing

1:10 to 1:20 high or low pressure application for severe film smoke or oils and brushless cleaning.

Below 1:10 is a brushing dilution not recommended for spraying (use only in extreme cases or for degreasing frames or fifth wheels)

## Right to know ingredients

Water	7732-18-5
D-Limonene	138-86-3
Tetrasodium salt	64-02-8
Nonylphenoxyethyleneoxyethanol	9016-45-9

## First Aid

Always wear proper eye and skin protection with this product. For any eye contact rinse thoroughly with cool water and seek immediate medical attention if irritation persists. In case of skin contact with concentrate vinegar should be kept on hand and used as a neutralizer before rinsing because water activates this product. If irritation develops call a physician. If the concentrate is spilled on your clothes remove them immediately and wash before reuse.

### *Technical Data:*

Physical Appearance: Amber

Specific Gravity: (Water = 1) 1.050

Solubility in water: Complete

Flash Point: Stable

Storage: Do not allow to freeze

ph: 12 at 1% Solution

Ecotoxicity: None known at recommended dilution levels. We recommend controlling rinse water and product at all times and disposing of waste in local sanctioned fashion.

DOT Shipping Info: Compound, cleaning liquid.  
Not regulated by the DOT.  
Non hazardous liquid.

Hazard Rating: Health 1  
Fire 0  
Reactivity 0  
Personal Protection B\*  
B\* = gloves and goggles

### Disclaimer:

The information herein is given in good faith, but no warranty, either express or implied is made. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein we cannot be sure or guarantee these are the only hazards which exist.

# *Recommended Applications*

The nature of an all purpose is that it can be used all over the facility. A partial list of surfaces that **GLORY** would be appropriate for includes:

1. Acrylics
2. Painted Surfaces
3. Baked Enamel
4. Unpolished aluminum (do not use on polished or anodized aluminum)
5. Vinyl Awnings, Siding, and car tops
6. Steel
7. Cast Iron
8. Concrete
9. Fabrics (not rugs)
10. Rubber
11. Asphalt Tile
12. Stainless Steel
13. Teflon Coated Panels
14. Synthetic Stucco
15. Fiberglass
16. Glass
17. Wood including Cedar and Pressure Treated

**GLORY** can successfully lift **ALL** these.

1. Oxidation from Paint
2. Oils, Hot Oil Stains
3. Greases
4. Fuel Stains
5. Hydraulic Fluid Stains
6. Smoke
7. Pollutants
8. Lime Dust
9. Dirt
10. Streaks
11. Fingermarks
12. Clay Stains